



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

This way, as it is much simpler, so 'tis by the Author esteem'd much more expedient than the former, by reason of the Sulphury-saline quality of Iron, which by Grinding being open'd and highly subtilized, acts the more powerfully upon the most solid body of Gold, and attracts withall the Salt that is in the Air in greater plenty, than can be done in a Glass or Golden Mortar. And if it be objected, that by that long continued Grinding the steely particles are worn off and commixt with those of the Gold; The Author would have it consider'd, how great a Cognation there is between those Sulphurs, and also, how great is the Use of Digestion, separating the pure from the impure, and withal exciting that occult fire of *Mars*, well known to the true Searchers of Nature; which, being assisted by the *Alcool* of Wine, is able to concoct the little immature portion to a due maturity.

*An Extract of a Letter of Mr. Lister to the Publisher, both enlarging and correcting his former Notes about Kermes; and withal insinuating his conjecture of Cochineil's being a sort of Kermes.*

Sir,

WE must correct as well as enlarge our Notes concerning *Kermes*\*; and yet there will be much difficulty in resolving the question concerning the Original and Efficient of *Kermes*. These things are certain:

\* Compare herewith, what was publish'd in No. 71. p. 2165, No. 72. p. 2177, especially No. 73. p. 2196.

1. That we have this year seen the very Gumm of the *Apricock* and *Cherry-lawrel-Trees* transudated, at least, standing in a Crystal-drop upon some (though very rarely) of the tops of these *Kermes*.

2. That they change colour from a yellow to a dark-brown: that they seem to be distended and to wax greater, and from soft, to become brittle.

3. That they are fill'd with a sort of *Mites*; that small powder (which I said to be Excrement,) being *Mites* as well as that *Liquamen* or softer pulp (which I took to be Bees-meat;) concerning both which particulars I am pretty well assur'd by my own, and also by my ingenious friend, Dr. *Johnson of Pomfret's* more accurat Microscopical Observations.

C g g g g

4. That

4. That the Bee-grubbs actually feed on Mites, there being no other food for them.

5. That there are other species of Bees or Wasps besides those by me described; which are sometimes found to make these Mites their food: Dr. *Johnson* having open'd one Husk, with one only large Maggot in it.

6. That there are probably different sorts of Mites in these Husks, making possibly different species of Kermes: For, some I have found to hold Carnation colour'd Mites, enclosed in a fine white Cotton, the whole Husk starting from the Twigg, shrivelling up, and serving only for a Cap or Cover to that company of Mites. Other Mites I have seen white, and (which is most usual) the Husks continuing intire and not coming away from the Twigg they adhere to, and but little Cotton at the bottom. Those of the first sort are the white Cob-webbs on the Vine, described by Mr. *Hook Micrograph. Obs. 56.*

7. That the shrivell'd Cap to be found upon the Mites enclosed in Cotton, as also the whole Husk itself, if taken early in April, while soft, will, dried in the Sun, shrink into the very figure of *Cochineil*: Whence we guess, that *Cochineil* may be a sort of *Kermes*, taken thus early and sun-dried.

Hitherto this Summers Notes concerning *Kermes*. This advantage at least we may have by them; that the account, taken from M. *Verney* by Dr. *Croon*, and

See Numb. 20. p. 362.

publish't in one of the *Transactions*,\* is made more intelligible: the small scar-

let powder, there mention'd, being to be understood of those Mites; and they to be distinguish't from the Bee-grubbs, which are chang'd into the Skipping Fly, that is, the Bee, (for kind at least) by us described formerly, I am, &c. York Octob. 9. 1671.

*An Extract of a Letter Written to the Publisher by Mr. Thomas Platt, from Florence, August 6. 1672. concerning some Experiments, there made upon Vipers, since Monsr. Charas his Reply to the Letter written by Signor Francesco Redi to Monsieur Bourdelet and Monsieur Morus.*

Sir,

I shall begin with telling you, that in a Conversation last Winter, where I had the good fortune to make one of the number, the discourse was of an Opinion of M. *Dela Chambre*, who,

to